FORES T ORAPERY HARDWARE



FORESTGROUP.COM




Product information

- Highly efficient hand drawn system for all types of medium weight draperies.
- Quick installation with "Smart Klick" brackets for wall and ceiling applications.
- Bendable; it can be curved and reversed curved using a 10 cm (4") radius or continuous curve.
- Suitable for special window decoration as circular, arch and triangle window models.
- Heavy duty clickable carriers, UV-protected, for smooth and easy traversing.
 Offset shape for straight hanging pleats.
- Can also be used for Forest Easyfold System and accordiafold drapery systems.
- Maximum fabric weight: 8 kg per meter (6 LBS per ft.).
- Colours available: white, gold, silver, brown, black, cream, beige, red, blue, yellow and green.
- Special colours: available on request.
- Available lengths: 3 meter (9'10"),
 4 meter (13'1"), 5 meter (16'4"),
 6 meter (19'8"), 7 meter (23').
- Track finish: chromated powder coated with a factory applied patented dry lubricant.

Profile


- Shown actual size 1:1.
- Aluminium Extrusion.
- Weight: 150 grams per meter (1.62 ounce per ft.).
- Dimensions: 14 mm x 20 mm (0,6" x 0,8").



For use in


Hotels - offices - schools - healthcare - residences - boats - campers - planes or at any location where an efficient hand drawn system is required.

Applications




Special window decoration

Special bends



Bending/curving

The track can be curved and reversed curved using a 10 cm (4") radius. Additionally there is a curving possibility for special windows like arches, bows and circles.



- (1) KS track
- (2) Carrier
- 3 Stop Carrier
- 4 Twist End Stop
- (5) Twist End Stop with cap




25 mm (1")

clickable carrier

Mounting Brackets


Smart Click Ceiling Bracket



4,2 cm (1,7

3


Wall bracket 3,5 cm (1,4") 6 cm (2,4")



A) Min. 10 cm (4")




A) Min. 15 cm (6")



Other brackets are available. Brackets need to be placed every 60 cm (24").


Aluminium Wall bracket single

A) 7,5 cm (3"): *B) 6,3 cm (2,5")* A) 10 cm (4"): *B) 8,8 cm (3,5")*




Aluminium Wall bracket double

A) 15 cm (6"): B) 9,2 cm (3,6"), C) 4,5 cm (1,8") A) 20 cm (8"): B) 9,2 cm (3,6"), C) 9,5 cm (3,7")



Aluminium Wall bracket triple

25 cm (10")



Colours available from stock:

Complete the art.nr. with the indicated colour-code

03 Silver **05** Brown **00** Transparent 02 Gold

11 Cream **12** Beige **21** Red **06** Black

22 Blue 23 Yellow 24 Green



KS Track

10010 00 cm Aluminium extrusion, powder 20/bundle coated, lubricated. Colour 01: 3 m. (9'10") Colours 01, 03, 05: 4 m. (13'1"), 5 m. (16'4"), 6 m. (19'8"), 7 m. (23').

Colours 02, 06, 11, 12, 21, 22, 23, 24: 5 m. (16'4").



KS/DS/CKS Track Joiner

1018401010 10/box



Track Connectorpin KS

Stainless steel, 2 x 20 mm For a firm and seamless connection between two pieces of KS track.

9900000012 50/box



Railconnector plastic

Can be inserted in the track, but still allows the carrier to run over.

1018400000 50/box



Carrier

10100 000 "Klickable", offset, constructed of 500/box UV-resistant plastic. 10 Carriers on a break-away strip. Can be klicked in after installation. Colours: 01, 02, 03, 05, 06, 12.



Stop Carrier

Prevents slide back, "klickable", constructed of UV-resistant plastic. Colours: 01, 02, 03, 05, 06.

10102..000 250/box



Shirrtape Carrier

unit, constructed of UV-resistant plastic. For sew on drapery tape. Colours: 01,02,03,05.

10104..000 Carrier and hook in one "klickable" 500/box



Carrier with metal hook 10105..000 "Klickable", offset, with stainless 100/box steel hook, constructed of UV-resistant plastic. For use with grommets. Colours: 01, 02, 03, 05, 06.



Twist End Stop

"Twists" into track, with metal plate, constructed of UV-resistant plastic. Colours: 01, 03, 05, 06.

10162..000 100/box



Twist End Stop with cap

"Twists" into track, with metal plate and end cap, constructed of UV-resistant plastic. Colours: 01, 03, 05, 06.

10163..000 100/box



Easyfold KS Endcap + screw

To be screwed with an Easyfold carrier, made of UV-resistant plastic.

100/box 4816001000

Colours: 01. 03. 06.



KS Endcap + screw short

10060..000 To be used for a single draw curtain.

Colours: 01, 03, 06.



Ceiling Bracket

Slides onto the track, powder coated. Regular duty. Colours: 01, 02, 03, 05, 06, 12.

10180..000 100/box

100/box



Ceiling Bracket with slot

Slides onto the track, powder coated. Regular duty. Colours: 01, 02, 03, 05, 06.

10181..000 100/box



Smart Klick Ceiling Bracket

"Klicks" onto track, powder coated. Colours: 01, 03, 05, 06.

10182 .000 100/box

Inclusive Covercap

1018201001



Covercap for Smart Klick Ceiling Bracket

Fits on Smart Klick Wall and Ceiling bracket.

101920..000 100/box

Colours: 01, 03, 05, 06.

Smart Klick Double Ceiling 1018601000 **Bracket Large** Distance between 30/box two tracks: 90 mm (3,5")



Smart Klick Double

1018611000 **Ceiling Bracket Short** 30/box Distance between two tracks: 45 mm (1,8")



False Ceiling Bracket (metal)

For installation on to a suspended ceiling. The track can be fixed in any angle.

100/box 4519001000



FSS Mouning Bracket

For concealed installation or ceiling installation in narrow spaces.

100/box 7160001000

Heavy Duty.



Ceiling Splice/Bracket

For ceiling installation only, powder coated. Colours: 01, 02, 03, 05, 06.

10185..000 50/box



KS Klick-On Ceiling Bracket White

For concealed installation without visible brackets, light weight use

018301000 100/box

MTS Suspension **Ceiling Bracket**

Length: 10 cm (4") - 1 m (3,3') 1 m (3,3') - 1,5 m (4,9') 4518201000 4518201500 1/each



Suspension Bracket Clip

To be used in combination with the Suspension Ceiling Bracket

1016901000 50/box




Smart Klick Wall Bracket 50/box 3,5 cm (1,4") and 6 cm (2,4"). 10202...035 "Klicks" onto track, powder coated. One screw attachment. For light 10202...060



weight use only. Colours: 01, 03.

15 cm (6"), 20 cm (8") 10206..... mm Double track. 15/box For light weight use only. Colours: 01, 03.



Adjustable Wall bracket 10208..115 Smart Klick, adjustable single from 7,5 100/box cm (3") to 11,5 cm (4.5") Colours: 01, 03.

Double from 6,5 cm (2,5") to 10208..195 10 cm (4") - 15 cm (6") 50/box to 19,5 cm (7,5") Colours: 01, 03.



Aluminium Wall bracket 10203....mm Smart Klick, powder coated.

 7,5 cm single (3")
 20/box

 10 cm single (4")
 20/box

 15 cm double (6")
 15/box

 20 cm double (8")
 15/box

 25 cm triple (10")
 10/box



Straight Return End Stop r/l 10165..000 5 x 5 cm (2 x 2") reversible return 25/box plate, powder coated. Colours: 01, 02, 03, 05.



 Wall Support
 25/box

 2,5 x 5 cm (1"x2") return plate,
 10166..000

 powder coated. Right
 10167..000

 Colours: 01, 02, 03, 05, 06.
 10167..000



Master Carrier/Reversible 1010301000
Reversible overlap carrier, "Klicks" 25/box into track, constructed of UV-resistant plastic. For straight track only.
Colours: 01.



Extension for Master CarrierPowder coated.
Colours: 01, 02, 05, 06.



Master Carrier Overlap (right)
Goes through curves, works with stiffeners and baton clips, can be corded, powder coated.
Colours: 01, 02, 05, 06.

10141..000 25/box



Master Carrier Underlap (left) Goes through curves, works with stiffeners and baton clips, can be corded, powder coated. Colours: 01, 02, 05, 06. 10144..000 25/box



Carrier Underlap Left
The Plastic Master is reversible.
There are also snaps on the back
of the Master.
Colours: 00, 01, 03, 06.



Carrier Overlap Right 25 pcs/box The Plastic Master is reversible. 48152..010 There are also snaps on the back of the Master. Colours: 00, 01, 03, 06.

25 pcs/box

48151..010



Baton Fiberglass White 1065101... 92 cm (36"), 122 cm (48"), 152 cm (60"). 100/box

Baton Transparant 1065102... 92 cm (36"), 122 cm (48"), 152 cm (60"). 50/box

Baton Aluminium

92 cm (36"), 122 cm (48"), 152 cm (60").

White 1065111...
Silver 1065113...
Black 1065116...
Antique 1065119...
50/box



Compact Bending Tool 1050000000 For KS/CKS 1/each

KS Bending Wheel All-in 1050100000 incl. strips 1/each



Continuous Curver 1060200000 Add on tool for the Compact Bending Tool. 1/box Designed to create continuous curves and arches in any radius. Includes KS bending

strip. For KS and CKS Track only.



Electric Powered Bender 1060500000 Available in 230V or 115V, to create 1/box continuous curves and arches. Minimum radius 50 cm (20").



KS Bending Strip 1060100000
For Compact Bending Tool. 1/each
Length of strip: 60 cm (23,6").
For continuous curver/electric bender. Length of strip: 7 mtr. (23'). 1060300000



For continuous curver/electric 106030 bender. Length of strip: 7 mtr. (23').

Complete set of 3 wheels.

1060700000 1/set



Electric Powered Railcutter 230 Volt EU

For Electric Powered Bender.

Replacement BladeFor electric powered railcutter.

1/each 1061200000 1/each

1061100000

Distributor:



